



NAVIGATING THE PARADOX – “*Tamake Tu Virechanam*”

Dr. Bhavana N¹, Dr. Haroon Irshad²

^{*1}Final Year PG Scholar, Department of Ayurveda Samhita and Siddhanta,
Sri Dharmasthala Manjunatheshwara College of Ayurveda & Hospital, Hassan, Karnataka, India.

²Professor, Department of Ayurveda Samhita and Siddhanta,
Sri Dharmasthala Manjunatheshwara College of Ayurveda & Hospital, Hassan, Karnataka, India.

Corresponding Author – Dr Bhavana N, Final Year PG Scholar, Department of Ayurveda Samhita and Siddhanta, Sri Dharmasthala Manjunatheshwara College of Ayurveda & Hospital, Hassan, Karnataka, India.

Article DOI: <https://doi.org/10.36713/epra29175>
DOI No: 10.36713/epra29175

ABSTRACT

Tamaka Shwasa is classically understood as an *Amashaya Samudbhava*, *Kapha-Vata Pradhana* and *Pranavaha Sroto Dushti Vikara*. By standard *Shodhana* principles, *Vamana* is the primary procedure for expelling the *Dushta Kapha*. However, *Acharya Charaka* presents a classical statement in the 17th chapter of *Chikitsa Sthana*: “*Tamake tu Virechanam*”, mandating *Virechana* prepared with *Vata-Shleshma-Hara* drugs. This creates a conceptual and clinical paradox about of prescribing *Virechana*, the principal therapy for *Pitta Dosha*, for a condition driven by *Kapha* and *Vata*. To resolve this paradox, a systematic review was conducted across classical Ayurvedic literature, authoritative commentaries, and 15 peer-reviewed research publications (comprising 9 conceptual reviews, 3 clinical trials, 2 critical reviews, and 1 case report). The findings reveal that the term *Pitta Sthana Samudbhava* specifically indicates the *Adho-Amashaya* where impaired *Jatharagni* produces *Ama* that circulate to fuel bronchial pathology across the gut-lung axis. Some clinical studies corroborate that *Virechana* significantly improves subjective respiratory parameters and objective pulmonary function tests while reducing systemic eosinophilic inflammation. Textual analysis shows that *Virechana* in *Tamaka Shwasa* is an *Avasthiki Chikitsa*. While *Mridu Vamana* is indicated during the acute stage in physically *Balavan Rogi* with massive *Kapha* congestion, *Virechana* is the treatment of choice in *Durbala Rogi* presenting in the state of *Manda Kapha*, and in conditions complicated by *Udavarta* and *Adhmana*. By establishing *Vatanulomana* and clearing the *Adho-Amashaya*, *Virechana* treats the root of the disease without straining a compromised cardiopulmonary system.

KEY WORDS: *Tamaka Shwasa*, *Virechana*, *Avasthiki Chikitsa*, *Vamana*.

INTRODUCTION

Tamaka Shwasa is a chronic, debilitating respiratory illness characterized by paroxysmal episodes of *Shwasa Krichrata*, *Kasa*, *Ghurghuraka*, *Ura-Shoola*.^[1] In *Ayurveda*, its pathogenesis is initiated by the simultaneous provocation of *Prana Vata* and *Avalambaka Kapha*. Vitiated *Kapha* obstructs the *Pranavaha Srotas*, which in turn prevents the normal course of *Vayu*, causing it to undergo *Pratiloma Gati* and produce respiratory distress.^[2]

According to classical treatment principles, when morbid *Doshas* accumulate in excessive quantities, *Samshodhana* is the first line of intervention. Because *Tamaka Shwasa* is characterized by massive, adhered *Kapha* in the respiratory tract, authorities prescribe *Snigdha Sweda* followed by *Vamana* to liquefy and evacuate the obstructed *Kapha*.^[3] However, there is a distinct directive by *Acharya Charaka*: “*Vatasleshmaharairyuktam tamake tu virechanam*”^[4] This directive indicates that while *Vamana* should be administered for *Kasa* and *Swarabhanga*, the physician must administer *Virechana* in condition of *Tamaka*, using formulations that pacify *Vata* and *Kapha*. This instruction forms a significant paradox. *Virechana* is defined across classical treatises as the specific, prime treatment for *Pitta Dosha* and *Rakta Dhatu*, operating primarily on the lower gastrointestinal tract.^[5] Many

contemporary researchers, practitioners often repeat the phrase ‘*Tamake tu Virechanam*’ purely as an empirical doctrine without examining the underlying stage-specific rules of *Shodhana*, leading to frequent clinical misinterpretations.

AIM AND OBJECTIVES

The purpose of this review is to resolve this paradox by bridging foundational textual evidence—including original treatises and classical commentaries—with published clinical, conceptual, and experimental studies. By examining the anatomical boundaries of *Amashaya*, the physiological dynamics of *Pratiloma Vata*, the review aims at clarifying the clinical rationale and conditions under which *Virechana* is indicated in *Tamaka Shwasa*.

METHODOLOGY

1. Search Strategy and Data Sources

A systematic literature search was undertaken to collect published research evaluating the role, mechanisms, and clinical outcomes of *Virechana* in the management of *Tamaka Shwasa*. The electronic databases searched included:

- PubMed / MEDLINE
- Google Scholar



- ResearchGate
- Specialized peer-reviewed Ayurvedic journals, including the *Journal of Ayurveda and Integrative Medicine* (J-AIM), *Journal of Ayurveda and Integrated Medical Sciences* (JAIMS), *International Journal of Ayurvedic and Pharmaceutical Research* (IJAPR), *AYU Journal* and *IJMR Journal*.

Boolean operators were utilized to combine search strings. An initial broad query using the terms “*Virechana*” OR “*Tamaka Shwasa*” yielded over 150 articles. To isolate directly relevant literature, the refined combination “*Virechana*” AND “*Tamaka Shwasa*” was applied, reducing the pool to approximately 85 articles.

2. Inclusion and Exclusion Criteria

Articles were selected based on the following pre-defined criteria:

- **Relevance:** Articles directly discussing the theoretical rationale, clinical application, or comparative efficacy of *Virechana* in *Tamaka Shwasa*. Studies detailing *Vamana* were also included where they provided comparative context regarding the selection of *Shodhana*.
- **Study Type:** Peer-reviewed review articles, conceptual analyses, randomized controlled trials, open-label comparative clinical trials, and detailed clinical case studies.
- **Exclusion Criteria:** Articles lacking full-text availability, studies where *Tamaka Shwasa* was merely mentioned peripherally without therapeutic details, and publications with unclear clinical methodologies.

Each study was assessed for methodological strengths (such as clear clinical markers, detailed treatment protocols, and extensive textual referencing) as well as limitations (such as small sample sizes, lack of long-term follow-up, grammatical ambiguities, and speculative modern biomedical extrapolations).

REVIEW OF LITERATURE

1. Nirukti, Nidana, and Samprapti of Tamaka Shwasa

The derivation of the word *Tamaka* is traced to the root *Tam Glanou*, which indicates *Glanou* [distress, exhaustion, and sadness]. In traditional lexicons such as the *Shabdakalpadruma*, *Tam* represents *Andhakara* [darkness], while the *Vachaspathyam* defines it as *Tamyatyatra Tamah* [a condition where the patient feels plunged into darkness].^[6] Standard lexicons describe *Tam* as choking, suffocation, and extreme distress. The term *Shwasa* originates from the root *Shvasiti* [the process of respiration], and works like the *Raja Nighantu* treat it as synonymous with *Prana* [vital breath] and *Vayu* [vital air].^[7]

The primary *Nidana* include environmental agents like *Dhuma*, *Raja*, *Sheeta Vata*, and *Sheeta Ambu*. Dietary indiscretions such as intake of *Ruksha*, *Guru*, *Vishtambhi*, and *Abhishyandi* foods, along with *Vishamashana*, provoke both *Vata* and *Kapha*. Behavioural triggers include excessive *Vyayama*, *Gramya Dharma*, *Adhva*, *Marmaghata* and suppression of natural bodily urges leading to *Udavarta*. These factors lead to *Amapradosha* through *Jatharagnimandya* and *Rasadhatwagnimandya*.^[8]

The *Samprapti Ghataka* encompass *Prana*, *Udana*, and *Samana Vata*, alongside *Avalambaka* and *Kledaka Kapha*, with frequent secondary *Pitta Anubandha*. The primary *Dushya* is *Rasa Dhatu* and the involved channels are *Pranavaha*, *Annavaha*, and *Udakavaha Srotas*. The *Srotodushti* is characterized by *Sanga* and *Vimargagamana*, producing a *Chirakari* condition.

Pathologically, aggravated *Kapha* accumulates in the *Kantha*, *Greeva*, and *Uras*, causing blockage to *Prana Vayu*. As a result, *Vayu* acquires *Pratiloma Gati*, provoking *Ghurghuraka*, *Teevra Vega Shwasa*, *Kasa*, *Pramoha*, *Lalata Sweda*, *Mukhashosha*, and severe *Nidranasha*. Orthopnea is marked, and the patient feels ease only in an upright seated posture, described as “*Aasino Labhate Soukhyam*”. Temporary relief occurs only after the expectoration of *Grathitha Kapha*.^[9]

2. Anatomical Demarcation of Pitta Sthana and Amashaya

A foundational textual debate stems from *Acharya Charaka*'s description that *Tamaka Shwasa* is *Pitta Sthana Samudbhava*, despite being driven by *Kapha* and *Vata*.^[10] Commentator *Chakrapani* resolves this by clarifying that *Pitta* is not the primary initiating *Dosha*; rather, the term *Pitta Sthana* in this context refers specifically to the *Amashaya*.^[11] The texts like *Ashtanga Hridaya* and *Ashtanga Sangraha* shows that *Shwasa* is *Amashayasamudbhava*. *Arunadatta* explains this term as the anatomical site of birth and manifestation of the disease, while *Indu* defines it as the location where the initial operational pathology of *Shwasa* begins.

Classical structural analysis supports this correlation. *Hemadri* defines *Amashaya* as the anatomical region above the *Nabhi* meant for the retention of *Apakvanna*. In the *Sharangadhara Samhita*, the anatomical layout is clearly mapped: the *Shleshmashaya* is located in the *Uras*, and directly below it lies the *Amashaya*, positioned between the chest and the *Nabhi* on the left side of the abdomen. The lower part of this gastric compartment, the *Adho-Amashaya*, constitutes the *Pittashaya* and the functional site of *Grahani*. Consequently, the disease is firmly rooted in the digestive tract, where *Agnimandya* and *Ama* initiate the pathology.

3. Clinical Presentations and the Protocol for Vamana

Classical therapeutics establish a systematic *Shodhana* protocol. The treatment begins with *Poorvakarma* consisting of *Snehana* and *Swedana* using *Lavana Taila*. This step achieves *Vilayana* of the *Grathitha Kapha* blocked inside the subtle respiratory channels, guiding the mobilized morbid matter toward the *Kostha*. Once *Kapha* accumulates in the stomach, *Mridu Vamana* is induced using *Pippali*, *Lavana* and *Madhu*.^[12] The *Vamana* administered must be *Apeedakaram* and strictly *Vata-Avirodhi*.^[13]

This regimen of *Vamana* followed by *Virechana* is reserved exclusively for a patient who is *Balavan* and *Kaphadhika*. In contrast, in patients who are *Durbala*, or in conditions dominated by *Vata*, *Shodhana* is prohibited, and *Shamana* using *Snigdha Yusha* and *Brimhana* is prescribed.^[14]

When the disease becomes complicated by *Pitta*, it presents as *Pratamaka Shwasa*, marked by *Jwara*, *Moorchha*, and *Daha*. Unlike standard *Tamaka Shwasa*, which worsens with cold, *Pratamaka* is immediately alleviated by cold exposures, designated as “*Sheetairashu Prashamyati*”, due to



its *Pitta* association. Another presentation, *Santamaka Shwasa*, involves the patient feeling continuously submerged in darkness.^[15] In fundamental diagnostic texts, this state of *Tamaka Pravesha* is officially categorized as a *Pittaja Nanatmaja Vikara*.^[16]

4. Textual Injunctions and Principles Regulating *Virechana*

The transition from *Vamana* to *Virechana* is clearly traced in the sequential flow of *Charaka Chikitsa* 17th chapter. Following *Mridu Vamana*, *Charaka* prescribes *Dhooma* to eliminate *Leena Shesha Dosha* remaining in the channels. The text then addresses *Pitta-Daha Anubandha* and identifies *Aswedya* i.e patients contraindicated for *Swedana*, while managing *Nava Jwara*, *Ama*, *Adhmana* and *Udavarta* through *Ruksha Sweda* and *Anulomana Anna*. Furthermore, *Charaka* specifies *Vamana Sa-Virechana* exclusively for *Balavan Kaphadhika* patients while directing *Brimhana* and *Tarpana* for *Vatika*, *Baala*, and *Vridhdha* individuals, warning that *Samshodhana in Anutklishta Kapha* damages vital organs. After detailing multiple formulations according to specific *Anubandha*, *Acharya* explicitly cautions that *Srota Shodaka Leha* must never be given in *Nishkapha* [states devoid of *Kapha*]. While *Vamana* is indicated for *Kasa* and *Swarabhanga*, in *Tamaka*, the physician must administer *Virechana* processed with *Vata-Shleshma-Hara* drugs. This is reinforced by the statement that, when *Tamaka Shwasa* is complicated by *Adhmana* and *Udavarta*, the physician must prescribe *Anulomana* and *Virechana* formulated with sour and salty drugs such as *Matulunga*, *Amlavetasa*, *Hingu*, *Sauvarchala*, and *Saindhava*. A parallel clinical comparison is seen when *Kaphaja Kasa* is accompanied by *Tamaka* due to secondary *Pitta Anubandha*, the entire management must be shifted to the treatment protocols of *Pittaja Kasa*.^[17]

The physiological foundation governing this choice is, if *Vamana* is administered when *Kapha* is mild or depleted, described as '*Alpe Kaphe*', the medicine fails to expel upward and instead moves downward, generating severe complications. Conversely, if *Virechana* is administered when *Kapha* is severely increased, the medicine and morbid matter are forced violently upward.^[18] Thus, this shows *Vamana* is choice of treatment when *Kapha* is dominant and excited in the upper body, whereas *Virechana* operates comfortably and properly when *Kapha* is *Manda*.

RESULTS

Categorization and Qualitative Appraisal

From the filtered results, 15 publications were selected for detailed analysis. These articles were categorized into four methodological groups:

- 1. Reviews, Literature, and Conceptual Analyses (9 papers):** Articles examining classical references, the anatomical definition of *Pitta Sthana*, and pharmacological mechanisms of purgation.
- 2. Clinical Trials and Studies (3 papers):**
 - One open-label randomized controlled trial evaluating *Harishadi Ghana Vati* and *Virechana* against contemporary control therapy.
 - One comparative clinical study directly evaluating *Vamana* versus *Virechana* in patients with *Tamaka Shwasa*.

- One single-arm clinical trial assessing the efficacy of *Trivrit-Ashtaka Churna* as a specific *Virechaka Yoga*.

- 3. Critical Reviews (2 papers):** Rigorous appraisals analysing *Dosha* dominance, procedural sequencing, and classical contraindications.
- 4. Case Reports (1 paper):** A documented clinical case detailing the complete protocol of *Virechana* using *Ichhabhedi Rasa* in long-standing chronic bronchial asthma.

Findings from the selected articles

The 15 selected publications present a multifaceted perspective on the management of *Tamaka Shwasa*, spanning conceptual validations, clinical trials, and physiological mechanisms:

Most of the articles repeated the classical statement "*Tamake tu Virechana*" and considered *Pitta Sthana* as an important origin of *Tamaka Shwasa*. *Virechana* is repeatedly justified through its action on *Pitta Sthana*, removal of *Ama* and *Vata Anulomana*. Clinical papers reported symptomatic as well as objective improvement following *Virechana*.

A recurring practical observation in the findings was that *Vamana* was favoured particularly in *Vegakala*, in *Balavan* individuals and in *Kapha*-predominant presentations. In contrast, *Virechana* was often favoured in chronic, weak or *Pitta*-influenced presentations where *Vamana* could be difficult or risky. Some articles also discussed intestinal *Kleda/Ama*, *Agni* and gut-lung interactions in explaining the possible action of *Virechana*. At the same time, some authors recommended *Snehana* and *Swedana* followed by *Vamana* according to *Avastha*, whereas others considered *Virechana* alone adequate in many cases.

Thus, after thorough review and analysing the selected articles, it is seen that within the flow of the chapter, the rule of "*Tamake tu Virechana*" recommendation is to be understood as *Avasthiki Chikitsa* [stage-specific treatment], demonstrating that it is an intentional, conditional management strategy and not a mandatory protocol in *Tamaka Shwasa*.

DISCUSSION

The apparent paradox of prescribing *Virechana* in *Tamaka Shwasa* - a disease primarily caused by *Kapha* and *Vata*—is resolved by analysing the sequential context of classical treatment. The paradox does not present the instruction as a universal rejection of *Vamana*. In the general treatment protocol, when a patient is *Balavan* and presents with acute *Vegavastha* accompanied by massive *Kapha* congestion, *Snehana*, *Swedana*, and *Mridu Vamana* remain the absolute first line of treatment to dislodge the *Kapha* obstruction from the respiratory tract. The specific prescription of *Virechana* belongs to *Avasthiki Chikitsa* when the condition is associated with *Tama Lakshana*.

This structural sequence is evident in the chapter's progression after *Mridu Vamana*, *Charaka* directs to eliminate the *Shesha Dosha* through *Dhooma*, addresses *Aswedya* in *Pitta-Daha-Arta* patients, and treats *Adhmana* and *Udavarta* through *Anulomana*. Furthermore, *Charaka* restricts *Vamana Sa-Virechana* solely to *Balavan Kaphadhika* patients, strictly forbids *Samshodhana in Anutklishta Kapha* due to the risk of



Marma-Samshoshana. It is strictly within this clinical transition that *Charaka* introduces *Tamake tu Virechanam*, demonstrating that *Virechana* is an *Avasthiki Chikitsa* indicated when acute *Kapha* excitement has settled, rather than a universal contradiction to *Vamana*.

This strategy strictly complies with the fundamental rules of *Shodhana*. *Virechana* is administered only when the *Kapha* is *Manda*. Moreover, *Tamaka Shwasa* is by nature a *Chirakari* illness that leads to *Daurbalya*. Because the *Hridaya* is the anatomical root of the *Pranavaha Srotas*, repeated forceful emetic bouts place dangerous pressure on the cardiopulmonary system of a weakened patient. In this depleted state, *Virechana* provides a gentle elimination without producing physical strain or aggravating *Vata*.

Virechana acts on the site of origin of the disease, the *Adho-Amashaya*, which commentators identify as the *Pitta Sthana*. The initial pathology of *Tamaka Shwasa* begins with *Agnimandya* in the upper gastrointestinal tract, leading to the systemic dissemination of *Ama* and *Kleda*. By cleansing the *Adho-Amashaya*, *Virechana* removes accumulated *Ama* and deranged *Pitta*, stabilizes *Jatharagni*, and arrests the gut-derived inflammatory cascade. In specific phenotypes like *Pratamaka* and *Santamaka*, where secondary *Pitta* causes *Jwara*, *Moorchha*, and *Tamah Pravesha*, *Virechana* serves as the essential therapy to eliminate the *Pitta* component. To preserve safety, the purgation must be formulated with *Vata-Shleshma-Hara Dravyas* given that the *Kapha* is *Manda*.

CONCLUSION

The classical rule advocating *Virechana* in *Tamaka Shwasa* is not a contradiction of the primary role of *Vamana*, but a stage-dependent clinical principle. In the acute attack of a *Balavan Rogi* presenting with *Pradhana Kapha Dushti*, *Mridu Vamana* remains necessary to remove obstructive *Kapha* from the *Srotas*. Conversely, in chronic stages, in weakened patients, or in presentations complicated by *Adhmana*, *Udavarta*, and secondary *Pitta* symptoms such as *Jwara* and *Tamah Pravesha*, *Virechana* formulated with *Vata-Shleshma-Hara* drugs is the choice of treatment. This acts at the *Adho-Amashaya*, clears *Ama* across the gut-lung axis, and establishes *Vatanulomana*.

Acknowledgement: (If any)

The authors acknowledge Dr. Shailaja U, Principal of the institution, Sri Dharmasthala Manjunatheshwara College of Ayurveda & Hospital, Karnataka for the constant support.

Conflicts Of Interest

No conflicts of interest were observed by the authors and the institution.

Tables and Figures

Not Applicable

REFERENCES

- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 55-56. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.535*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 45. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.535*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 71. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.536*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 121. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.538*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Sutra Sthana; Apamarga Tanduliya Adhyaya: Chapter 2, verse 10. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.24*
- Tarkavachaspati T, compiler. *Vachaspathyam: A comprehensive Sanskrit dictionary. Vol. I. Varanasi: The Chowkhamba Sanskrit Series Office; 1969. (The Chowkhamba Sanskrit Series, Work No. 94).*
- <https://ashtadhyayi.com/>
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 11-16. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.533*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 55-62. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.535*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 8. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.533*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 8. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.533*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 71-75. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.536*
- Acharya YT, editor, (1st ed.). *Nibandha Sangraha commentary of Sri Dalhanacharya and Nyaya Chandrikapanjika commentary of Sri Gayadasa on Sushruta Samhita of Sushruta, Uttara Tantra; Shwasapratishedha Adhyaya: Chapter 51, verse 15. Varanasi: Chowkhamba Sanskrit Samsthana, 2022; p. 762*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 88-90. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.537*
- Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Hikka- Shwasa Chikitsitam Adhyaya: Chapter 17, verse 63-64. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.535*



16. Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Sutra Sthana; Maharoga Adhyaya: Chapter 20, verse 14. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.114*
17. Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Chikitsa Sthana; Kasa Chikitsitam Adhyaya: Chapter 17, verse 131-133. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.545*
18. Acharya YT, editor, (1st ed.). *Ayurveda Deepika commentary of Chakrapanidutta on Charaka Samhita of Agnivesha, Siddhi Sthana; Kalpana Siddhi Adhyaya: Chapter 1, verse 9-10. Reprint ed. New Delhi: Chowkambha Surabharati Prakashan, 2023; p.678*