ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 12| Issue: 10| October 2026|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2026: 8.753 || ISI Value: 1.188

A COMPREHENSIVE REVIEW ON GANDHAKA TAILA AND ITS ANTIMICROBIAL THERAPEUTICS

Dr.Atmajyoti Nayak[1], Prof(Dr.)Rajib Kishore Jena[2], Dr.Chandan Kumar Sahoo[3]

[1]Post Graduate Scholar, Department of Rasashastra and Bhaishajya Kalpana,Gopabandhu Ayurveda Mahavidyalaya,Puri,Odisha
[2]Professor & HOD, Department of Rasashastra and Bhaishajya Kalpana,Gopabandhu Ayurveda Mahavidyalaya,Puri,Odisha
[3]Assistant Professor, Department of Rasashastra and Bhaishajya Kalpana,Gopabandhu Ayurveda Mahavidyalaya,Puri,Odisha

ABSTRACT

Gandhaka Taila (sulfur-infused medicated oil) is an ancient herbo-mineral formulation widely celebrated in Ayurvedic Rasa Chikitsa for the management of refractory cutaneous disorders (Kushtha Roga), wound pathologies (Vrana), and infectious manifestations. Originating from foundational texts such as Rasa Tarangini, Rasa Ratna Samucchaya, and Bhaishajya Ratnavali, the formulation utilizes Shuddha Gandhaka (purified sulfur) prepared via specialized thermal distillation techniques (Patalyantra) or lipid decoction methodologies. This review systematically delineates the classical pharmaceutical processing, organoleptic standardization, mechanisms of action, and contemporary in-vitro antimicrobial evaluations against pathogenic bacteria (Staphylococcus aureus, Pseudomonas aeruginosa, Escherichia coli) and fungi (Candida albicans, Trichophyton rubrum). By bridging Ayurvedic pharmacodynamics (Tikta-Katu rasa, Ushna virya, Kaphahara) with modern microbiological concepts of pentathionic acid and hydrogen sulfide synthesis, this article highlights Gandhaka Taila as a potent, biocompatible topical antimicrobial agent in an era of escalating antimicrobial resistance (AMR).

KEYWORDS: *Gandhaka Taila, Shuddha Gandhaka, Antimicrobial Resistance, Patalyantra, Antifungal, Kushtha Roga, Rasashastra.*

1. INTRODUCTION

In the arena of traditional Indian medicine, Rasashastra and Bhaishajya Kalpana (Ayurvedic pharmaceutics and iatrochemistry) hold a unique position due to their quick efficacy, lower required dosage, and profound stability. Minerals and metals undergo elaborate purification (Shodhana) and transformation (Marana, Samskara) processes to render them bioavailable, non-toxic, and therapeutically potent. Among the Uparasa (secondary minerals), Gandhaka (elemental sulfur) is extolled as a Mahaguna (superbly virtuous) dravya, endowed with Rasayana (rejuvenating), Yogavahi (catalytic synergist), and Krimighna (antimicrobial/antiparasitic) virtues.

Cutaneous infections and non-healing inflammatory dermatoses pose continuous clinical challenges globally. The rise of multidrug-resistant bacterial strains (such as MRSA) and dermatophyte resistance has intensified the search for multi-target, lipid-soluble therapeutics. Gandhaka Taila (also formulated conceptually alongside Gandhaka Druti) represents a quintessential example of lipid-mediated delivery of sulfur. SESAME oil (Tila Taila) or Cow's Ghee (Go-Ghrita), co-processed with sulfur and supporting botanicals, achieves deep transdermal delivery (Srotogamitva), targeting subcutaneous pathogens and inflammatory cytokines simultaneously.

2. CLASSICAL PHARMACEUTICAL PREPARATION & VARIANTS

Classical compendia outline several standard methods to formulate Gandhaka into an oily, highly absorbable liquid phase. Prior to oil processing, elemental sulfur must rigorously undergo Shodhana to neutralize harmful contaminants like arsenic, lead, and elemental toxins.

2.1 Gandhaka Shodhana (Purification Protocols)

According to Rasa Tarangini (Taranga 8), Gandhaka is melted in an iron or earthen ladle greased with cow's ghee and poured through a four-fold cloth into a vessel filled with Cow's Milk (Go-Dugdha) or fresh Bhringaraja Swarasa (Eclipta alba juice). This cycle is repeated three to seven times, washing the solidified sulfur granules thoroughly with warm water after each cycle. This step removes lipid-soluble volatile impurities, reduces particle size, and renders the crystalline sulfur into a therapeutic allotropic form suitable for medicinal absorption.

2.2 Pharmaceutical Processing

1. Patalyantra Method (Destructive Distillation / Extraction): As detailed in Rasa Tarangini crushed Palash Beej (Butea monosperma) soaked in goat's milk or herbal juices is blended with finely powdered Shuddha Gandhaka. The blend is

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 12| Issue: 10| October 2026|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2026: 8.753 || ISI Value: 1.188

loaded into an inverted glass retort or Kacha Kupi, wrapped with clay-smeared cloth (Mrit-vastra), and embedded over a subterranean collection chamber. Upon slow subterranean heating with cow dung cakes, dense dark-brown, sulfur-rich oil droplets condense and collect in the receiver flask.

2. Traditional Sneha Paka (Lipid Concoction): In standard oil manufacturing (Taila Paka Vidhi), Shuddha Gandhaka is incorporated along with Kalka (herbal bolus of Triphala, Haridra, or Nimba) into Tila Taila (sesame oil base) and specified Drava Dravya (herbal decoctions). It is simmered under Mandagni (mild controlled temperature of 90–100°C) until Sneha Siddhi Lakshana (absence of water crackle, uniform rollable bolus) is attained.

3. In Rasa Ratna Samuchhaya Gandhak taila was prepared by following method:Coarse powder of Shuddha Gandhaka was mixed with butter and triturated. After this the mixture obtained was applied to the cotton cloth, which was coated by Arka and Snuhi ksheer, in a thick layer. Then the cotton cloth was rolled and tied by a thread around it. The holding the roll at clamp at one end the other end was ignited. As the fire goes up then drops of gandhak taila was emerged and collected in a clean glass container

4.In Rasa Tarangini ,Add finely ground Gandhaka (sulfur powder) to the boiled milk and cool the milk and extract the butter. Now heat this butter very much, then Gandhaka Taila (sulfur oil) will come on top of the ghee. Remove it thoroughly from hand or cotton

Table 1: Key Ingredients and Their Pharmacodynamic Matrix

Ingredient	Sanskrit / Botanical Name	Ayurvedic Attributes	Therapeutic Role
Purified Sulfur	Shuddha Gandhaka	Tikta-Katu Rasa, Ushna Virya, Katu Vipaka, Sara Guna	Primary active bactericidal, keratolytic, fungicidal agent
Sesame Oil	Tila Taila (Sesamum indicum)	Madhura-Tikta Rasa, Ushna Virya, Sukshma Guna	Lipid vehicle; enhances deep cutaneous penetration & skin repair
Flame of Forest	Palash Beej (Butea monosperma)	Kashaya-Katu, Ushna Virya, Krimighna	Co-active synergistic anthelmintic, anti-inflammatory
Cow's Milk / Ghee	Go-Dugdha / Go-Ghrita	Madhura Rasa, Sheeta Virya, Ojas Vardhaka	Detoxification medium; buffers tissue burning & erythema

✦ **AYURVEDIC BIOAVAILABILITY PRINCIPLE**
Gandhaka Taila synergizes classical lipid pharmacology (Sneha Kalpana) with elemental sulfur. The lipid matrix facilitates passive trans-epidermal diffusion across the stratum corneum, allowing sulfur moieties to interact with deeper microbial colonies and biofilm communities without causing acute escharotic trauma.

3. ANTIMICROBIAL SPECTRUM AND BIOLOGICAL MECHANISMS

Elemental sulfur is biologically inert in its insoluble native state; its therapeutic efficacy relies on biological activation and biotransformation upon direct contact with living tissue and microbial surfaces. In Gandhaka Taila, sulfur interacts with lipid carriers and dermal sulfhydryl donors to yield active chemical species.

3.1 Pharmacodynamic Biochemical Mechanisms

1. Generation of Pentathionic Acid ($H_2S_5O_6$): Upon topical application, sulfur undergoes micro-oxidation by bacterial enzymes and cellular components, generating polythionates, predominantly pentathionic acid. This acid acts as a profound germicide and fungicide, denaturing microbial surface proteins and disrupting osmotic homeostasis.

2. Reduction to Hydrogen Sulfide (H_2S): Dermal keratinocytes and microbial cystine groups partially reduce elemental sulfur into hydrogen sulfide gas. While high systemic concentrations are toxic, localized micro-molar release at epidermal junctions lyses fungal spore walls and uncouples bacterial respiratory chains.

3. Keratolytic Action and Debridement: Gandhaka Taila dissolves intercellular desmosomes in hyperkeratotic skin layers. This mild peeling action strips away necrotic tissue that harbors bacterial reservoirs, promoting aerobic tissue granulation and accelerated wound closure.

4. Disruption of Microbial Sulfhydryl Enzymes: Sulfur particles bind selectively to essential sulfhydryl (-SH) moieties in bacterial dehydrogenase complexes, arresting ATP generation and disabling cellular division in both Gram-positive and Gram-negative species.

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 12| Issue: 10| October 2026|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2026: 8.753 || ISI Value: 1.188

Table 2: Comparative In-Vitro Antimicrobial Spectrum of Gandhaka Taila

Pathogen	Organism Type	Associated Clinical Pathology	Observed In-Vitro Response
Staphylococcus aureus	Gram-Positive Cocci	Impetigo, Folliculitis, Secondary Infected Eczema	Significant Zone of Inhibition (16–22 mm); membrane disruption
Pseudomonas aeruginosa	Gram-Negative Rod	Infected Wounds, Otitis Externa (Karnasrava)	Moderate to Marked Inhibition; disrupts biofilm permeability
Escherichia coli	Gram-Negative Rod	Secondary Ulcer Contamination, Fistular Infections	Moderate Zone of Inhibition (12–15 mm); metabolic suppression
Candida albicans	Yeast / Fungal	Cutaneous Candidiasis, Intertrigo, Paronychia	High Sensitivity; inhibits yeast-to-hyphae morphological switch
Trichophyton rubrum	Dermatophyte Fungus	Tinea Corporis, Tinea Cruris (Dadru Kushtha)	High Sensitivity; complete spore germination arrest

4. CLASSICAL INDICATIONS AND CLINICAL APPLICATIONS

In classical Ayurveda texts, Gandhaka Taila is indicated across diverse conditions classified under Kustha Roga (skin diseases) and Dushta Vrana (chronic, indolent ulcers):

- **Dadru Kushtha (Tinea / Dermatophytosis):** Characterized by elevated circular lesions with intense itching (Kandu) and erythema (Raga). Gandhaka Taila eradicates fungal hyphae while pacifying aggravated Kapha-Pitta doshas.
- **Pama & Vicharchika (Scabies & Eczematous Dermatitis):** Acts directly against Sarcoptes scabiei mites and opportunistic bacterial superinfections, soothing vesicular eruptions and reducing oozing (Srava).
- **Karnasrava (Infectious Otorrhea / Otitis Media & Externa):** Formulated as warm drops for ear instillation (Karna Pichu or Karnapoorana), controlling purulent discharge caused by Staphylococcus aureus and Pseudomonas.
- **Dushta Vrana (Septic and Sloughy Ulcers):** Promotes Sodhana (debridement of slough) and Ropana (healthy granulating epithelialization), preventing colonization of hospital-acquired bacteria.

5. PHYSICOCHEMICAL CHARACTERIZATION AND QUALITY CONTROL

Standardization of Gandhaka Taila is essential to ensure uniform therapeutic outcomes and eliminate batch variability. Modern analytical pharmacognosy utilizes several benchmark parameters to confirm purity and compliance with the Ayurvedic Pharmacopoeia of India (API):

• Specific Gravity (at 25°C): Typically ranges between 0.915 and 0.938, demonstrating appropriate lipid density and lack of water contamination.

• Acid Value & Peroxide Value: Acid value remains below 4.0 mg KOH/g and peroxide value under 10 meq/kg in freshly prepared batches, confirming oxidative stability and low rancidity.

• Saponification Value: 188–198 mg KOH/g, representative of stable long-chain fatty acid triglycerides from sesame oil.

• Total Sulfur Content (% w/w): Quantitative estimation via Gravimetric barium sulfate assay or ICP-OES (Inductively Coupled Plasma Optical Emission Spectrometry) typically establishes dissolved organic sulfur between 0.8% and 3.5% depending on Patalyantra condensation yield.

• Organoleptic Profile: A distinct dark reddish-brown to amber viscous liquid characterized by a pungent, roasted sulfurous aroma without burnt acridity.

6. SAFETY, TOXICOLOGY, AND CLINICAL USAGE GUIDELINES

Topical Gandhaka Taila exhibits a notable safety margin due to minimal systemic absorption across intact human dermis. However, specific precautions ensure therapeutic success:

1. Patch Testing: In individuals with high Pitta Prakriti or sensitive skin, unrefined sulfur can induce contact dermatitis or temporary erythema. A 24-hour patch test on the volar forearm is standard protocol.

2. Dilution with Cooling Vehicles: If mild irritation occurs, Gandhaka Taila can be blended in a 1:1 ratio with pure coconut oil (Narikela Taila) or Shata Dhauta Ghrita (100-times washed cow's ghee) to buffer the sharp Ushna virya.

3. Contraindications: Avoid application over acute denuded second- or third-degree burns, active hemorrhaging surfaces, or deep open peritoneal puncture wounds.

4. Mode of Application: Warm slightly to body temperature, apply a thin layer over affected lesions 1–2 times daily, followed by gentle absorption massage. Wash thoroughly after 1–2 hours using mild herbal wash (such as Triphala Kwatha).

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 12| Issue: 10| October 2026|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2026: 8.753 || ISI Value: 1.188

7. CONCLUSION AND FUTURE RESEARCH DIRECTIONS

Gandhaka Taila stands as an exemplary classical formulation in which elemental sulfur is converted into a bio-friendly, penetrative lipid medicine. Contemporary microbiological data substantiate ancient Ayurvedic claims, demonstrating profound bactericidal, fungicidal, and wound-purifying attributes. In the modern medical landscape shadowed by antimicrobial resistance (AMR), herbo-mineral preparations like Gandhaka Taila present broad-spectrum multi-target mechanics that resist standard pathogen bypass adaptations. Further rigorous clinical trials, standardized nano-emulsion formulations, and biofilm-eradication studies are encouraged to integrate Gandhaka Taila into global dermatological therapeutics.

8. CLASSICAL & CONTEMPORARY REFERENCES

1. *Sharma, P. V. (Trans.). (2014). Caraka Samhita (Chikitsa Sthana, Chapter 7: Kustha Chikitsitam). Chaukhambha Orientalia, Varanasi.*
2. *Sharma, S. (Ed.). (2015). Rasa Tarangini (Taranga 8: Gandhaka Vijnaniya, verses 13-104). Chaukhamba Surbharati Prakashan, Varanasi.*
3. *Mishra, S. (Ed.). (2007). Bhaishajya Ratnavali of Govinda Das Sen (Kustharoga Chikitsa Adhyaya). Chaukhambha Sanskrit Sansthan, Varanasi.*
4. *Sujatha, K., et al. (2016). Anti-microbial study of Gandhaka taila. Journal of Biological & Scientific Opinion, 3(3), 105-109.*
5. *Jadhav, S., & Tayade, P. (2020). Screening of Antimicrobial and Antifungal activity of Gandhak Druti and Gandhaka Taila. International Journal of Ayurvedic and Pharmaceutical Chemistry, 12(1), 45-52.*
6. *Sachin, S., et al. (2023). Preparation of Gandhak Taila by Patalyantra method and Pharmaceutico-analytical Study of Gandhak Taila cream. International Research Journal of Pharmacy and Medical Sciences, 6(3), 112-118.*
7. *Government of India, Ministry of AYUSH. (2016). The Ayurvedic Pharmacopoeia of India (Part II, Vol. 1 - Formulations). Pharmacopoeia Commission for Indian Medicine & Homoeopathy, Ghaziabad.*