



A REVIEW STUDY ON POLYETHYLENE INGESTION IN SMALL RUMINANTS: CLINICAL EFFECTS AND MANAGEMENT

Md. Badsah Khan^{1*}, Zainab Ahmad Muhammad², Fa'izu Abba Ungogo³

¹MSc Zoology Kalinga University Naya Raipur, Chhattisgarh, India.

²MSc Zoology Kalinga University Naya Raipur, Chhattisgarh, India.

³MSc Botany Kalinga University Naya Raipur, Chhattisgarh, India.

*Corresponding Author

Article DOI: <https://doi.org/10.36713/epra21660>

DOI No: 10.36713/epra21660

ABSTRACT

Polyethylene ingestion constitutes a significant health risk for small ruminants, particularly sheep and goats, owing to the ubiquitous nature of plastic pollution in their grazing habitats. This review consolidates empirical evidence indicating that the accumulation of polyethylene within the rumen disrupts normal digestive processes by inducing physical obstruction and hindering microbial fermentation, which culminates in clinical symptoms such as ruminal impaction, indigestion, and decreased nutrient absorption. Such consequences markedly compromise both animal health and productivity. The review additionally assesses integrated management strategies, underscoring the necessity of sustainable waste disposal methodologies, strategic grazing management – including rotational and time-controlled grazing practices – and timely veterinary measures such as the surgical excision of plastic obstructions. The findings underscore that a comprehensive approach, integrating environmental management with clinical care, is imperative to mitigate the risks associated with polyethylene ingestion and safeguard small ruminant populations. Future initiatives should focus on community-driven waste management and the advancement of biodegradable alternatives to alleviate environmental plastic pollution.

KEYWORDS: Polyethylene, small ruminants, plastic ingestion, rumen impaction, waste management, grazing control, veterinary intervention

INTRODUCTION

- Polyethylene is the most extensively produced synthetic polymer globally, contributing significantly to plastic waste and environmental contamination due to its resistance to natural degradation processes. Its widespread use and persistence have led to its accumulation across diverse ecosystems, including agricultural lands where it can enter food webs and pose risks to animal and environmental health (Chaudhary & Garg, 2024).
- Small ruminants such as sheep and goats, which are vital for food security and rural livelihoods (Ndona et al., 2024). Particularly susceptible to polyethylene pollution, grazing animals often ingest plastic debris, especially in areas with inadequate waste management or extensive use of agricultural plastics (Haque, 2024). Ingestion of polyethylene microplastics has been shown to disrupt rumen fermentation dynamics, reduce metabolizable energy from feed, and decrease rumen protozoal populations and ammonia levels, ultimately impairing protein metabolism and overall rumen function (Ajala & Gefu, 2005)..
- The clinical consequences of polyethylene ingestion in small ruminants include ruminal impaction, indigestion, and reduced productivity. Management primarily involves

surgical removal in severe cases and emphasizes the need for improved waste management and preventive husbandry practices to mitigate exposure (Remi-Adewunmi et al., 2005).

STATEMENT OF THE PROBLEM

- **Environmental and Health Threat:** Polyethylene pollution is an increasing threat to both the environment and the health of small ruminants, such as sheep and goats, which are essential for food security and rural livelihoods.
- **Ingestion and Health Consequences:** The accumulation of plastic waste in grazing areas leads to frequent polyethylene ingestion by these animals, resulting in severe health issues like ruminal impaction, impaired digestion, and reduced productivity.
- **Need for Better Strategies:** Despite growing awareness, there is a significant lack of effective preventive and clinical management strategies tailored for small ruminants, highlighting the need for evaluating the extent of ingestion, understanding clinical impacts, and developing sustainable management approaches.



OBJECTIVES OF THE STUDY

- To evaluate the impact of polyethylene pollution on the health of small ruminants.
- To examine the clinical consequences of polyethylene ingestion and explore effective management approaches for plastic waste in small ruminants.

SOURCES AND ENVIRONMENTAL DISPERSION OF POLYETHYLENE WASTE

Polyethylene waste is a widespread pollutant with diverse origins and far-reaching environmental implications. Its presence is increasingly observed across urban, peri-urban, and rural landscapes (Qiu et al., 2019). Broadly, this plastic waste originates from packaging materials, disposable consumer products, agricultural films, and industrial activities. Improper disposal practices, lack of waste management infrastructure, and wind or water-driven transportation contribute to its dispersion into terrestrial and aquatic ecosystems (Andrady, 2011; Geyer et al., 2017)

Table 1:
Summary of Sources and Pathways of Polyethylene Pollution in Terrestrial Ecosystems

| Source | Key Points | References |
|-----------------------|--|---|
| Industrial Sources | Fabrication and disposal release polyethylene, micro plastics via atmospheric deposition, wastewater irrigation, and improper disposal. | (Surendran et al., 2022), (Tziourrou & Golia, 2024) |
| Agricultural Pathways | Use of plastic mulch films, compost, fertilizers, and pesticides introduces micro plastics into soil. | (Sintim et al., 2020) |
| Waste Management | Landfills, composting, recycling, and sewage sludge application can introduce polyethylene micro plastics into ecosystems if improperly managed. | (Thachnatharen et al., 2021) |

Grazing Behavior and Polyethylene Ingestion in Small Ruminants

Small ruminants, particularly goats and sheep of the subfamily *Caprinae*, exhibit opportunistic feeding behaviors that often result in the ingestion of non-nutritive materials such as polyethylene bags. This behavior is especially prevalent in regions with inadequate waste management and unrestricted

grazing systems, where plastic debris is commonly encountered during foraging

Health Risks of Polyethylene Ingestion

The ingestion of polyethylene is increasingly recognized as a major health hazard for small ruminants, especially in regions with inadequate waste management systems (Priyanka, 2018).

Table 2
Clinical Manifestations and Health Risks of Polyethylene Ingestion in Small Ruminants

| Aspect | Clinical Manifestation/ Health risk | References |
|-------------------------------|---|------------------------|
| Gastrointestinal Symptoms | Anorexia, severe depression, discomfort, dehydration, abdominal distension, ruminal hypomotility, diarrhea, intermittent constipation | (Otsyina et al., 2017) |
| Weight Loss and Mortality | Significant weight loss (up to 142% of initial body weight in six weeks), impaired digestion and nutrient absorption, possible death | (Otsyina et al., 2017) |
| Histopathological Changes | Inflammation, degeneration, and necrosis in organs such as liver and kidneys in animals with plastic waste in the rumen | (Berata et al., 2023) |
| Toxicological Concerns | Presence of heavy metals (e.g., lead) in tissues, leucocytosis, and other hematological changes indicating systemic toxicity | (Berata et al., 2023) |
| Rumen Fermentation Disruption | Reduced fermentation efficiency, decreased metabolizable energy, lower protozoal populations, and reduced ammonia-nitrogen levels | (Tassone et al., 2025) |
| Biodegradable Alternatives | Biodegradable polymers show improved degradation and reduced accumulation in the rumen compared to polyethylene | (Galyon et al., 2023) |

MANAGEMENT APPROACHES

Waste Disposal Management Approaches

Effective waste disposal is essential to prevent small ruminants from ingesting harmful materials like polyethylene. Key approaches include:

- **Sustainable Waste Management:** Practices such as recycling and composting help reduce waste in grazing areas and support environmental sustainability (Lodh, 2024) (Crutchfield et al., 2016).



- **Waste-to-Energy Technologies:** These convert non-recyclable waste into energy, minimizing landfill use and animal exposure to waste, especially in areas with limited waste infrastructure (Crutchfield et al., 2016)
- **Strategic Grazing and Waste Disposal:** Coordinating grazing with waste disposal by avoiding waste-prone areas and fencing off disposal sites reduces the risk of ingestion (Dornbusch, 2017).

Grazing Control Strategies

Grazing control strategies are essential for maintaining the health of small ruminants and the sustainability of pastures. These strategies also play a role in reducing the risk of polyethylene ingestion by ensuring that animals are not forced to graze in areas contaminated with waste.

Rotational Grazing: Rotational grazing involves dividing pastures into smaller paddocks and rotating the grazing areas to allow for recovery. This method not only improves pasture productivity but also reduces the risk of overgrazing, which can lead to the ingestion of non-palatable materials like polyethylene (Valentine 2022).

- **Time-Controlled Grazing:** Time-controlled grazing, where animals are allowed to graze for specific periods, can help in maintaining optimal pasture health and reducing the likelihood of animals ingesting harmful materials. This method has been shown to improve herbage mass and ground cover, which can reduce the need for animals to seek alternative food sources
- **Patch-Burn Grazing:** This strategy involves the use of prescribed burns to create a mosaic of different grazing areas. It has been shown to be effective in controlling invasive species and improving the overall biodiversity of pastures, which can reduce the risk of animals ingesting harmful materials (Dornbusch et al., 2020).

Clinical Management of Polyethylene Ingestion in Small Ruminants

The clinical management of polyethylene ingestion in small ruminants involves both immediate treatment and long-term prevention. Addressing the issue requires a combination of veterinary intervention and proactive measures to minimize exposure to plastic waste.

- **Veterinary Intervention:** Immediate veterinary care is essential to address the physical obstruction caused by ingested polyethylene. This may include surgical intervention to remove the blockage, followed by supportive care to manage any secondary complications (Malik et al., 2023) (Valentine 2022).
- **Preventive Measures:** Preventing polyethylene ingestion is crucial. This can be achieved through proper waste disposal practices, ensuring that polyethylene materials are not accessible to grazing animals. Farmers and pastoralists should be educated on the risks of improper waste disposal and the importance of using durable, non-toxic materials for feeding and watering systems (Lodh, 2024) (Crutchfield et al., 2016).

Interrelation between Clinical Management, Grazing Control, and Waste Disposal

The clinical management of polyethylene ingestion, grazing control strategies, and waste disposal management are closely interrelated. Effective waste disposal practices reduce the risk of polyethylene ingestion, while proper grazing control strategies ensure that animals are not forced to graze in contaminated areas. Clinical management is essential for addressing the health impacts of polyethylene ingestion, but preventive measures are equally important for reducing the incidence of such cases.

CONCLUSION

Polyethylene ingestion poses a significant health risk to small ruminants, with detrimental effects on rumen function and overall productivity. This review underscores that addressing this problem necessitates a multifaceted approach combining improved waste management, strategic grazing control, and timely veterinary care. Preventive measures that reduce environmental plastic contamination and limit animal exposure are critical to minimizing the incidence of polyethylene ingestion. Concurrently, clinical management protocols must be enhanced to effectively treat affected animals and mitigate long-term impacts.

Future research should focus on developing biodegradable alternatives and community-based waste management programs to sustainably protect small ruminant populations and the ecosystems they inhabit.

REFERENCES

1. Andrady, A. L. (2011). *Microplastics in the marine environment. Marine Pollution Bulletin*, 62(8), 1596–1605. <https://doi.org/10.1016/j.marpolbul.2011.05.030>
2. Berata, I. K., Ni Nyoman, W. S., Kardena, I. M., & Novianti, A. N. (2023). *Pathological impacts due to the existence of plastic waste in rumen of Bali cattle. Jurnal Medika Veterinaria*, 6(3), 26–30. <https://doi.org/10.20473/jmv.vol6.iss3.2023.26-30>
3. Chaudhary, M., & Garg, A. P. (2024). *Global impact of plastic pollution and its management for sustainable development. In Practice, progress, and proficiency in sustainable development (pp. 122–152). IGI Global. https://doi.org/10.4018/978-1-6684-9863-7.ch006*
4. Crutchfield, J. A., Li, H., Wolfe, R. A., Thai, A. E., Robbins, M. J., Lucas, B., & White, E. D. (2016, August 31). *Contingency waste disposal and energy conversion decision support model. In Proceedings of the 2016 Portland International Conference on Management of Engineering and Technology (PICMET) (pp. 585–596). https://doi.org/10.1109/PICMET.2016.7806753*
5. Dornbusch, M. J. (2017). *Novel ecosystem management: Evidence for alternative strategies in the Northern Great Plains [Doctoral dissertation, North Dakota State University]. North Dakota State University Institutional Repository. https://library.ndsu.edu/ir/handle/10365/32645*
6. Galyon, H. R., Vibostok, S., Duncan, J., Ferreira, G., Whittington, A. R., Havens, K. J., McDevitt, J. P., & Cockrum, R. R. (2023). *Clearance of biodegradable polymer and polyethylene films from the rumens of Holstein bull calves. Animals*, 13(5), 928.



- <https://doi.org/10.3390/ani13050928>
7. Geyer, R., Jambeck, J. R., & Law, K. L. (2017). Production, use, and fate of all plastics ever made. *Science Advances*, 3(7), e1700782. <https://doi.org/10.1126/sciadv.1700782>
 8. Haque, A. (2024). Microplastics (Mps) have become an emerging environmental threat, exerting detrimental effects on marine and terrestrial ecosystems as well as human health. Addressing this burning issue requires the implementation of coordinated plastic waste management policies and strategies. An in-depth analysis of microplastics for ensuring environmental sustainability. <https://doi.org/10.2139/ssrn.4893055>
 9. Lodh, D. (2024). Sustainable waste management practices and their profound impact on environmental conservation. In Book Title (pp. 7–18). <https://doi.org/10.58532/v3bcag21p1ch2>
 10. Malik, M. A., Amin, A. B., Iqbal, Z., Bajwa, M. R. K., Aleem, M. T., Mansoor, M., & Timpong-Jones, E. C. (2023). Parasite control strategies: Pasture management. In CABI (pp. 124–135). <https://doi.org/10.1079/9781800621893.0008>
 11. Ndong, A., Kambashi, B., Beckers, Y., Moulin, C.-H., & Bindelle, J. (2024). Contribution of traditional goat farming systems to the sustainable intensification of smallholder agriculture in sub-Saharan Africa: The example of the western part of the Democratic Republic of Congo. *Frontiers in Agricultural Systems*, 3, Article 100079. <https://doi.org/10.1016/j.farsys.2024.100079>
 12. Otsyina, H. R., Nguhiu-Mwangi, J., Mogoa, E. G. M., Mbuthia, P. G., & Ogara, W. O. (2017). Clinical manifestations in sheep with plastic bags in the rumen. *Ghana Journal of Science*, 57, 35–45. <https://doi.org/10.4314/gjs.v57i0>
 13. Priyanka, M. (2018). Ruminant impaction due to plastic materials. *Veterinary World*, 11(9), 1307–1315. <https://doi.org/10.14202/vetworld.2018.1307-1315>
 14. Qiu, R., Song, Y., Zhang, X., Xie, B., & He, D. (2019). Microplastics in urban environments: Sources, pathways, and distribution. In *Microplastics in Urban Environments* (pp. 41–61). Springer, Cham. <https://doi.org/10.1007/978-90-481-4447-4>
 15. Remi-Adewunmi, B., Gyang, E., & Osinowo, A. (2005). Abattoir survey of foreign body rumen impaction small ruminants. *Nigerian Veterinary Journal*, 25(2), 32–38. <https://doi.org/10.4314/NVJ.V25I2.3472>
 16. Sintim, H. Y., Bary, A. I., Hayes, D. G., Wadsworth, L. C., Anunciado, M. B., English, M. E., Bandopadhyay, S., Schaeffer, S. M., DeBruyn, J. M., Miles, C. A., Reganold, J. P., & Flury, M. (2020). In situ degradation of biodegradable plastic mulch films in compost and agricultural soils. *Science of The Total Environment*, 727, 138668. <https://doi.org/10.1016/j.scitotenv.2020.138668>
 17. Surendran, U., Jayakumar, M., Raja, P., Gopinath, G., & Chellam, P. V. (2022). Microplastics in terrestrial ecosystem: Sources and migration in soil environment. *Social Science Research Network*, 137946. <https://doi.org/10.2139/ssrn.4198917>
 18. Tassone, S., Kaihara, H., Barbera, S., Glorio Patrucco, S., Issaoui, R., & Abid, K. (2025). Low-density polyethylene microplastics in the rumen: Implications for rumen fermentation dynamics and utilization of concentrate feed. *Animals*, 15(3), 297. <https://doi.org/10.3390/ani15030297>
 19. Thachnatharen, N., Shahabuddin, S., & Sridewi, N. (2021). The Waste Management of Polyethylene Terephthalate (PET) Plastic Waste: A Review. *IOP Conference Series: Materials Science and Engineering*, 1127(1), 012002. <https://doi.org/10.1088/1757-899X/1127/1/012002>
 20. Tziourrou, P., & Golia, E. E. (2024). Plastics in agricultural and urban soils: Interactions with plants, micro-organisms, inorganic and organic pollutants: An overview of polyethylene (PE) litter. *Soil Systems*, 8(1), Article 23. <https://doi.org/10.3390/soilsystems8010023>
 21. Vallentine, J. F. (2022). Grazing management. In *Elsevier eBooks* (pp. 585–603). Elsevier. <https://doi.org/10.1016/b978-0-323-85702-4.00006-6>