



AN AYURVEDIC MANAGEMENT OF *Vātaja Gridhrasī* WITH *Śephalipatra Kwātha* : A CASE STUDY

Midhila KJ¹, Sarita Mohanta², Bhagya Ranjan Dash³, Simadri Bhusan Nayak⁴

¹Post Graduate Scholar, P.G. Department of Roga Nidāna Evam Vikriti Vigyana, Government Ayurvedic College and Hospital, Balangir, Odisha, India. ORCID ID : 0009-0006-0726-5724

²Professor & HOD, P.G. Department of Roga Nidāna Evam Vikriti Vigyana, Government Ayurvedic College and Hospital, Balangir, Odisha, India. ORCID ID : 0009-0007-0563-7130

³Lecturer, P.G. Department of Roga Nidāna Evam Vikriti Vigyana, Government Ayurvedic College and Hospital, Balangir, Odisha, India. ORCID ID : 000900066855022X

⁴Professor & HOD, Department of Kayachikitsa, Government Ayurvedic College and Hospital, Balangir, Odisha, India. ORCID ID : 0009-0006-0048-801X

Article DOI: <https://doi.org/10.36713/epra24518>

DOI No: 10.36713/epra24518

ABSTRACT

Gridhrasi, one among the *Nānātmaja Vātavyādhi* described in Ayurveda, is characterized by *Ruk* (radiating pain), *Stambha* (stiffness), *Toda* (pricking sensation) and *Sakti Utkṣepa Nigrahaṇa* (difficulty in lifting the leg). It closely correlates with sciatica in modern medicine, where nerve root compression or irritation leads to similar symptoms. The condition mainly arises due to vitiation of *Vāta Doṣa*, particularly *Apāna* and *Vyāna Vāyu*, resulting in *Srotorodha* and neuromuscular dysfunction.

This case report presents the successful Ayurvedic management of a 37-year-old male diagnosed with *Vātaja Gridhrasi* (right-sided sciatica) for three years. The patient was treated with *Śephalipatra Kwātha* (decoction of *Nyctanthes arbor-tristis* leaves) 50 ml twice daily for 30 days, administered on an empty stomach without any external therapy. Remarkable improvement was noted from the second week, and by the end of treatment, all major symptoms, pain, stiffness, pricking sensation, and difficulty in leg movement, had remarkably subsided.

Post-treatment assessment showed normalization of the Straight Leg Raising Test and negative Bragard's sign. The results can be attributed to the *Vātahara*, *Vedanasthāpana*, and *Śoṭahara* properties of *Śephalipatra*, supported by its scientifically proven anti-inflammatory and analgesic actions. This case highlights the potential of classical Ayurvedic formulations in managing neuromuscular disorders like sciatica, providing safe, effective, and holistic relief without adverse effects.

KEYWORDS: *Vātaja Gridhrasi*, Sciatica, *Śephalipatra Kwātha*, *Nyctanthes arbor-tristis*

INTRODUCTION

Gridhrasī is one among the *Nānātmaja Vātavyādhi* described in classical Ayurvedic texts, characterized by *Ruk* (pain), *Stambha* (stiffness), *Toda* (pricking sensation), *Muhuspandana* (twitching), and *Sakthi Utkṣepa Nigrahaṇa* (difficulty in lifting the limb)¹. The condition manifests as radiating pain from the *Kaṭi* (lumbar region) to the *Pāda* (foot), resembling the modern clinical entity Lumbago Sciatica Syndrome². In contemporary medicine, Sciatica results from irritation or compression of the sciatic nerve roots, often due to lumbar disc herniation or spondylotic changes³.

Ayurveda attributes the disease primarily to vitiation of *Vāta Doṣa*, particularly *Apāna* and *Vyāna Vāyu*, leading to *Srotorodha* (obstruction of channels) and subsequent neuromuscular dysfunction⁴. According to Ayurvedic principles, *Gridhrasi* is primarily classified into two types: *Vataja* and *Vata-Kaphaja Gridhrasi*⁵. *Vataja Gridhrasi* manifests with predominantly *Vata* symptoms including *Ruk* (pain), *Stambha* (stiffness), *Toda* (pricking sensation), and *Spandana* (twitching), while *Vata-Kaphaja* variant additionally presents with *Tandra* (drowsiness), *Gaurava* (heaviness), *Arochaka* (anorexia), and *Mukhapraseka* (excessive salivation)⁶.

Contemporary management of sciatica includes pharmacological interventions such as NSAIDs, muscle relaxants, and opioid analgesics, along with physiotherapy and surgical interventions in severe cases⁷. However, these approaches often provide temporary symptomatic relief with potential adverse effects and do not address the root cause of the condition. *Ayurveda* offers a holistic approach through internal medications, *Panchakarma* procedures, and lifestyle modifications that target the underlying pathophysiology.

Śephalipatra Kwātha (decoction of *Nyctanthes arbor-tristis* leaves) has been specifically mentioned in *Chakradatta* for the management of chronic *Gridhrasi*⁸. The drug possesses *Tikta Rasa*, *Laghu Ruksha Guna*, *Ushna Virya*, and *Katu Vipāka*, making it



particularly effective in pacifying aggravated *Vāta Dosha*⁹. *Nyctanthes arbor-tristis* has been scientifically validated for its anti-inflammatory, analgesic, and immunomodulatory properties¹⁰

This case study presents the successful management of a chronic case of *Vātaja Gridhrasi* with *Sephālipatra Kwātha*, demonstrating complete resolution of symptoms within 30 days of treatment, thereby highlighting the therapeutic efficacy of this classical Ayurvedic formulation.

CASE REPORT

History of Present Illness

A 37-year-old male driver presented with pain in the lower back and posterior aspect of the right lower limb for three years. The pain was insidious in onset, shooting in nature, radiating from the gluteal region down to the right thigh and leg, which is associated with stiffness, pricking sensation and difficulty in lifting the right leg. The intensity of pain was moderate initially but progressively increased over time. The pain significantly aggravated during prolonged sitting (especially while driving), climbing stairs, forward bending, and lifting heavy objects. Mild relief was experienced with rest and local heat application. The patient had taken allopathic analgesics and muscle relaxants intermittently with temporary symptomatic relief but no sustained improvement. There was no history of trauma, fall, or accident.

Past History

- No history of diabetes mellitus, hypertension, tuberculosis, or other chronic illnesses
- No history of previous surgeries
- No known allergies

Family History

- No significant family history of similar complaints
- No hereditary disorders reported

Personal History

- **Diet:** Mixed, adequate quantity
- **Appetite:** Good
- **Lifestyle:** Regular physical activity, normal sleep, occasional daytime nap
- **Addiction:** Tea (2–3 cups/day)
- **Bowel and bladder:** Regular
- **Sleep :** Sound
- **Exercise:** Regular light exercise

Dasavidha Pariksha

1. *Prakriti:* Vata Pittaja
2. *Vikriti:* Madhyama Bala Vyadhi
3. *Sāra:* Madhyama Sara Purusha
4. *Samhanana:* Madhyama
5. *Pramāna:* Madhyama Sharira
6. *Satva:* Madhyama Satva
7. *Satmya:* Madhyama
8. *Ahāra Shakti:* Madhyama
9. *Vyayāma Shakti:* Madhyama Bala
10. *Vaya:* Madhyama Vaya

Ashtavidha Pariksha

1. *Nadi:* Vāta-Pittaja (72/min)
2. *Mutra:* Prakrita varna, Madhyama Mātra
3. *Mala:* Nirama, regular
4. *Jihwa:* Prakrita varna, slightly coated (*Salipita*)
5. *Shabda:* Clear and distinct
6. *Sparsha:* Ruksha, Ushna
7. *Drik:* Prakrita
8. *Akriti:* Sama



CLINICAL FINDINGS

General Examination

- Built: Medium
- Nourishment: Adequate
- Pallor: Absent
- Icterus: Absent
- Cyanosis: Absent
- Clubbing: Absent
- Lymphadenopathy: Absent
- Edema: Absent
- Gait: Antalgic gait observed

Vital Parameters

- Pulse Rate: 72/min, regular
- Blood Pressure: 120/80 mmHg
- Respiratory Rate: 18/min
- Temperature: 98.4°F
- SPO₂: 98% at room air
- Height: 160 cm, Weight: 66.5 kg

Systemic Examination

- **CNS, CVS, RS, Abdomen:** Normal

Locomotor System:

- Inspection: No visible deformity, swelling, or redness; lumbar lordosis maintained
- Palpation: Tenderness present over right sacroiliac joint and sciatic notch; no local rise of temperature or swelling
- Range of Movements:
 - Lumbar spine: Flexion - moderately restricted (++), Extension - normal, Lateral flexion - mildly restricted bilaterally (++)
 - Right Hip: All movements present but painful at extremes

Neurological Examination

- Motor System: Power 5/5 in all muscle groups of bilateral lower limbs; tone normal; no muscle wasting
- Sensory System: Sensation intact to touch, pain, and temperature in all dermatomes
- Reflexes: Knee jerk - normal bilaterally; Ankle jerk - normal bilaterally; Plantar reflex - flexor bilaterally

Special Clinical Tests (Before Treatment)

Test	Before Treatment
SLRT (Right)	51°–70° (Grade 1)
Bragard's Test (Right)	Positive
X-ray Lumbosacral Spine	Grade 1 anterolisthesis of L5 over S1; mild disc space reduction

Table No:1 Clinical assessment before treatment

Srotas Pariksha

- *Prānavaha Srotas:* Unaffected
- *Udakavaha Srotas:* Unaffected
- *Annavaha Srotas:* Unaffected
- *Rasavaha Srotas:* Unaffected
- *Raktavaha Srotas:* Unaffected
- *Mamsavaha Srotas:* Affected (dushti lakshanas present)
- *Medovaha Srotas:* Affected
- *Astivaha Srotas:* Affected
- *Majjavaha Srotas:* Affected
- *Shukravaha Srotas:* Unaffected
- *Purishavaha Srotas:* Unaffected
- *Mutravaha Srotas:* Unaffected



- *Swedavaha Srotas*: Unaffected

Srotas involvement: *Māmsavaha, Medovaha, Asthivaha, and Majjavaha Srotas*

Srotoduṣṭi type: *Sanga*

Rogamārga: *Madhyama*

Samprāpti Ghaṭaka:

- *Doṣa – Vāta*
- *Duṣya – Māmsa, Medas, Asthi, Majja*
- *Agni – Samāgni*
- *Āma – Absent*

Provisional Diagnosis: *Vātaja Gridhrasī*

Modern Correlation: *Sciatica (Right-sided)*

Therapeutic Intervention

The patient was administered *Śephālipatra Kwātha* 50 ml twice daily on an empty stomach with lukewarm water for 30 days. No external therapies were given. The *Kwātha* was freshly prepared as per *Cakradatta Vātavyādhi Rogādhyāya* reference¹¹.

Drug Details

Drug Name: *Sephālipatra Kwatha* (Decoction of *Nyctanthes arbor-tristis* leaves)

Botanical Name: *Nyctanthes arbor-tristis* Linn.

Family: *Oleaceae (Nyctanthaceae)*

Rasapanchaka

- *Rasa: Tikta*
- *Guna: Laghu, Ruksha*
- *Vīrya: Ushna*
- *Vipaka: Katu*
- *Prabhava: Vedanāsthapana*

Doshaghnata: *Kapha-Vatahara*

Karma¹²:

- *Vedanāsthapana*
- *Shothahara*
- *Vātaghna*
- *Deepana*
- *Jvaraghna*
- *Raktashodhaka* etc.

Therapeutic Indications: *Agnimandya, Vibandha, Krmiroga, Gridhrasi, Vataroga, Mutrakrichra, Tvagdoṣa, Jirnajvara, Sandhivata, Sotha, Amavata* etc.

Pathya–Apathya: Light, warm, unctuous diet; avoidance of *Rūkṣa, Śīta, Ativyayāma* (excess exertion), and day sleep.

Observation and Results

Subjective parameters like *Ruk, Stambha, Toda*, and *Sakthi Utkṣepa Nigrahaṇa* were graded at baseline, 15th day, and 30th day. Marked improvement was observed from the second week onward.

Clinical Feature	Day 0	Day 15	Day 30	% Improvement
Pain (<i>Ruk</i>)	2	1	0	100%
Stiffness (<i>Stambha</i>)	2	1	0	100%
Pricking sensation (<i>Toda</i>)	2	1	0	100%
Difficulty lifting leg (<i>Sakthi Utkṣepa Nigrahaṇa</i>)	1	1	0	100%



Table No:2 Assessment of parameters

Diagnostic Tests	Before Treatment	After Treatment
Test		
SLRT (Right)	51°–70° (Grade 1)	>70° (Grade 0)
Bragard's Test (Right)	Positive	Negative
X-ray Lumbosacral Spine	Grade 1 anterolisthesis of L5 over S1; mild disc space reduction	No progression; clinical improvement

Table No:3 Clinical assessment before and after treatment

Overall response: Remarkable ($\geq 76\%$ improvement)

DISCUSSION

In *Vātaja Gridhrasī*, *Vāta Doṣa* gets aggravated due to indulgence in *Rūkṣa*, *Śīta*, and *Ativyayāma* Nidāna, causing *Srotorodha* in *Māmsa*, *Medas*, *Asthī*, and *Majjavaha Srotas*, leading to pain, stiffness, and restricted mobility¹³. This mechanism parallels the modern pathophysiology of nerve root irritation and neurogenic inflammation observed in *Sciatica*¹⁴.

Śephalipatra (*Nyctanthes arbor-tristis* Linn.) possesses *Tikta Rasa*, *Laghu Rūkṣa Guṇa*, *Uṣṇa Vīrya*, and *Katu Vipāka*, with *Vāta Kaphahara* and *Vedanasthāpana* properties¹⁵. These attributes correct *Vāta vitiation*, reduce *Srotorodha*, and alleviate pain. Modern studies have demonstrated anti-inflammatory, analgesic, and muscle relaxant effects of *Nyctanthes arbor-tristis* leaf extract, supporting its efficacy in neuropathic conditions¹⁶.

From the modern perspective, the condition correlates well with lumbosacral radiculopathy with sciatica, characterized by compression or irritation of the L5-S1 nerve root. The radiological finding of Grade 1 anterolisthesis with mild disc space reduction supports this correlation. However, the complete symptom resolution despite persistent structural changes highlights an important principle, symptomatic improvement can occur through reduction of inflammation and neural irritation even when anatomical abnormalities persist¹⁷.

The therapeutic effect observed in this patient, complete relief from *Ruk*, *Stambha*, *Toda*, and improved SLRT, indicates that *Śephalipatra Kwātha* effectively pacifies *Vāta Doṣa* and restores normal nerve conduction. The absence of *Āma* features further supports the use of *Rūkṣa*, *Tikta*, *Uṣṇa* preparations in *Nirāma Vātavyādhi*.

Studies have demonstrated that *Nyctanthes arbor-tristis* leaf extract significantly reduces inflammatory markers (TNF- α , IL-6, IL-1 β) and exhibits analgesic activity comparable to standard NSAIDs, but without gastric irritation¹⁸. The immunomodulatory properties help in regulating the inflammatory response associated with nerve root irritation¹⁹.

The neuroprotective activity of the herb, demonstrated through its ability to reduce neuronal damage in experimental models, provides a scientific basis for its effectiveness in radiculopathy²⁰. Furthermore, the muscle relaxant properties help alleviate paravertebral muscle spasm, contributing to pain relief and improved mobility²¹.

Thus, the present case provides clinical evidence aligning with classical principles of *Samprāpti Vighatana* (breaking the pathogenesis chain) through *Deepana Pācana* and *Srotoshodhana* actions of *Śephalipatra Kwātha*.

CONCLUSION

This case demonstrates the effectiveness of *Śephalipatra Kwātha* as a simple, safe, and potent internal formulation for the management of *Vātaja Gridhrasī* (*Sciatica*). Its dual action in alleviating *Vāta vitiation* and reducing *Srotorodha* correlates well with the modern understanding of reducing inflammation and nerve compression.

The persistence of structural abnormalities (anterolisthesis) despite complete symptom resolution emphasizes that symptomatic relief in sciatica can be achieved through management of inflammation and neural irritation rather than structural correction alone. This supports a conservative treatment approach and highlights the relevance of Ayurvedic principles of *Dosha Shamana*.

The result highlights *Ayurveda*'s potential in addressing neuromuscular disorders through individualized, *Dosha*-specific therapy. However, being a single case report, the findings warrant further validation through multi-centric randomized controlled trials with larger sample sizes, longer follow-up periods, and comparative studies with standard treatment protocols. Future research should also focus on standardization of the formulation, dose optimization, and elucidation of molecular mechanisms of action.

In conclusion, this case reaffirms the therapeutic wisdom of ancient Ayurvedic texts and demonstrates the continued relevance of traditional medicine in contemporary healthcare. It advocates for an integrative approach combining the holistic perspective of Ayurveda with modern diagnostic tools for optimal patient outcomes in managing lumbosacral radiculopathy and sciatica.



REFERENCES

1. Charaka. *Charaka Samhita, Chikitsasthana, Vataavyadhi Chikitsa Adhyaya*. Varanasi: Chaukhamba Surbharati Prakashan; Reprint 2016.
2. Sushruta. *Sushruta Samhita, Nidan Sthana 1/78*. Varanasi: Chaukhamba Orientalia; Reprint 2014.
3. Stafford MA, Peng P, Hill DA. *Sciatica: A review of epidemiology, pathophysiology, and management*. BMJ. 2007;334(7607):1313–7.
4. Vagbhata. *Ashtanga Hridaya, Nidanasthana 15/51–54*. Varanasi: Chaukhamba Krishnadas Academy; Reprint 2015.
5. Agnivesha. *Charaka Samhita, Nidana Sthana, Ch.1, Ver.59–61*. Revised by Charaka & Dridhabala, with Ayurveda Dipika commentary by Chakrapanidatta, edited by Vaidya Jadavaji Trikamji Acharya. Varanasi: Chaukhamba Surbharati Prakashan; Reprint 2016. p.213.
6. Sushruta. *Sushruta Samhita, Nidana Sthana, Ch.1, Ver.74–76, with Nibandhasangraha commentary by Dalhana and Nyayachandrika Panjika commentary by Gayadasa, edited by Vaidya Jadavaji Trikamji Acharya & Narayan Ram Acharya*. Varanasi: Chaukhamba Orientalia; Reprint 2014. p.265.
7. Koes BW, van Tulder MW, Peul WC. *Diagnosis and treatment of sciatica*. BMJ. 2007;334(7607):1313–7. doi:10.1136/bmj.39223.428495.BE
8. Chakrapanidatta. *Chakradatta, Vataavyadhi Chikitsa, Ch.22, Ver.45*. Commentary by Vaidya Ramanatha Dwivedi. Varanasi: Chaukhamba Sanskrit Sansthan; Reprint 2014. p.146.
9. Bhavamishra. *Bhavaprakasha Nighantu, Guduchyadi Varga, Ver.140–143*. Commentary by Dr. K.C. Chunekar, edited by Dr. G.S. Pandey. Varanasi: Chaukhamba Bharati Academy; Reprint 2015. p.436–7.
10. Saxena RS, Gupta B, Saxena KK, Singh RC, Prasad DN. *Study of anti-inflammatory activity in the leaves of Nyctanthes arbor tristis Linn. – an Indian medicinal plant*. J Ethnopharmacol. 1984;11(3):319–30. doi:10.1016/0378-8741(84)90078-1.
11. Chakrapanidatta. *Cakradatta, Vataavyadhi Rogadhikara 103/80*. Varanasi: Chaukhamba Sanskrit Series; Reprint 2013.
12. Central Council for Research in Ayurvedic Sciences (CCRAS). *Database on Medicinal Plants Used in Ayurveda*. Vol. 6. New Delhi: Dept. of AYUSH, Ministry of Health and Family Welfare, Govt. of India; 2007. p.280–94.
13. Murthy KRS. *Vata Vyadhi Chikitsa in Ayurveda*. Varanasi: Chaukhambha Orientalia; 2014.
14. Dureja GP, Jain PN, Chopra P, et al. *Management of neuropathic pain in India: Consensus recommendations*. J Pain Res. 2017;10:2479–502.
15. Sharma PV. *Dravyaguna Vijnana*. Vol.2. Varanasi: Chaukhamba Bharati Academy; 2013.
16. Singh VK, Pandey M, Jha KK, et al. *Anti-inflammatory and analgesic properties of Nyctanthes arbor-tristis Linn. leaves*. J Ethnopharmacol. 2019;236:94–101.
17. Brinjikji W, Luetmer PH, Comstock B, et al. *Systematic literature review of imaging features of spinal degeneration in asymptomatic populations*. AJNR Am J Neuroradiol. 2015;36(4):811–6. doi:10.3174/ajnr.A4173.
18. Saxena RS, Gupta B, Saxena KK, Singh RC, Prasad DN. *Study of anti-inflammatory activity in the leaves of Nyctanthes arbor tristis Linn*. J Ethnopharmacol. 1984;11(3):319–30.
19. Suresh V, Asha VV. *Preventive effect of ethanol extract of Nyctanthes arbor tristis flowers on experimental rheumatoid arthritis in rats*. J Ethnopharmacol. 2008;115(2):304–8. doi:10.1016/j.jep.2007.10.002.
20. Saxena RS, Gupta B, Lata S. *Tranquilizing, antihistaminic and purgative activity of Nyctanthes arbor tristis leaf extract*. J Ethnopharmacol. 2002;81(3):321–5. doi:10.1016/S0378-8741(02)00119-5.
21. Kumar V, Ganguly S, Pal A. *Evaluation of muscle relaxant activity of Nyctanthes arbor tristis Linn. flower extract*. J Chem Pharm Res. 2011;3(4):593–9.