



# ROLE OF NUTRACEUTICALS IN HUMAN HEALTH CARE

**Anshu Pandey\*, Mr. Yashwant Singh**

*S.N. College of Pharmacy, Lakhauwa, Jaunpur, India*

\*Corresponding Author

## ABSTRACT

The terms "nutrition" and "pharmaceutical" are combined to form the term "nutraceutical." In general, nutraceuticals are foods or dietary components that significantly contribute to regulating and preserving the regular physiological processes that keep people healthy. The present demographic and health trends are the main drivers of the global nutraceutical market's growth. Dietary fibre, probiotics, prebiotics, polyunsaturated fatty acids, antioxidants, and other herbal/natural food products can all be classified as nutraceuticals. These nutraceuticals aid in the fight against some of the century's biggest health issues, including diabetes, cholesterol, osteoporosis, cancer, cardiovascular disease, and obesity. Overall, "nutraceuticals" have ushered in a new era of health and medicine, where the food industry is now a research-focused field.

**KEYWORDS:** Bioactive Chemicals, Therapeutic Foods, Nutraceuticals, Safety, Health, Regulation, Efficacy, Analysis, And Formulation

## 1. INTRODUCTION

A "possible beneficial role" for health is indicated by the coordinated and integrated activity of biologically active chemicals and nutritional components. Numerous domains, particularly those related to nutraceuticals, are covered by the utilisation and applications of bioactive components [1,2,3].

Nutraceuticals are derived from either plant or animal sources, and current global research endeavours to thoroughly elucidate their mechanism of action, safety, and effectiveness by supporting their role with clinical data [4,5]. Clarifying their mechanism of action will actually pave the way for the development of a new generation of therapeutic agents that do not advertise themselves as a drug substitute but rather as a means of: (i) preventing a group of linked conditions (metabolic syndrome), such as heart disease, stroke, and type 2 diabetes; and (ii) enhancing pharmacological therapy, particularly for those who are not eligible for a traditional pharmacological therapy [6,7].

This Special Issue is devoted to the function and viewpoints of nutraceuticals in human health, evaluated from a variety of perspectives, from efficacy studies to clinical trials, from analytical aspects to positive effects on medical problems.

Regarding the investigation of functional ingredients and applications, Lu Martínez et al. [8] have examined and suggested the use of protein concentrate in emulsion stability and Prunus serotina defatted flour in cookies without the risk of hydrogen cyanide. The biological characteristics of polysaccharides as therapeutic agents were thoroughly researched and compiled by Ullah et al. [9]. The study of Swat et al. [10] on the characterisation of fulvic acid beverages that are sold worldwide is noteworthy. Lucarini et al. [11] looked into alternative useful substances made from grape seeds, which are waste or byproducts of commercial grape processing. There have been studies on the assessment of the positive effects of nutraceuticals in both in vitro [12] and in vivo [13] models, including animal studies on dietary supplementation [14,15,16].

### Nutraceutical

The term "nutraceutical" was first used in a survey conducted in the United Kingdom, Germany, and France. The consumers rated diet as the most important factor in achieving good health, followed by exercise or genetic factors (Pandey et al. 2010). Stephen De Felice, founder and chairman of the Foundation for Innovation in Medicine (FIM), Cranford, NJ, created the phrase "nutraceutical" in 1989 by combining the words "nutrition" and "pharmaceutical" (Maddi et al. 2007; Brower 1998).


A nutraceutical is "a food (or a portion of food) that provides medical or health benefits, including the prevention and/or treatment of a disease," according to De Felice. According to Wildman (2001) and Bull (2000), Health Canada defines a nutraceutical as "a product prepared from foods, but sold in the form of pills, or powder (potions), or in other medicinal forms, not usually associated with foods."



A diverse range of items originating from the food business, the herbal and dietary supplement sector, the pharmaceutical industry, and the recently combined.

nutrition, agricultural, and pharmaceutical conglomerates. From genetically modified "designer" meals and processed goods like cereals, soups, and drinks to isolated nutrients, herbal products, dietary supplements, and diets, it can take many forms (Malik 2008; Dureja et al. 2003).


The majority of therapeutic categories, including anti-arthritic, cold and cough, sleep problems, digestion, cancer prevention, osteoporosis, blood pressure, cholesterol management, pain relievers, depression, and diabetes, are covered by nutraceuticals (Fig. 1).



(Sami Labs 2002; Pandey et al. 2010)

The three primary sectors of the nutraceutical industry are dietary supplements, functional foods, and herbal/natural goods (Rishi 2006; Hathcock 2001). According to the Nutrition Business Journal (2006), the two categories with the fastest growth rates are dietary supplements and herbal/natural goods. The global market for nutraceuticals increased from \$46.7 billion in 2002 to \$74.7 billion in 2007 (BCC Research). The USA, UK, and Japan are the top three nations with nutraceutical markets (Fig. 2) (BCC Research).

## Global Nutraceutical Product Market



This new nutraceutical field is in the height of its research and development. Standardization of nutraceutical chemicals or products, as well as the meticulous development and execution of clinical trials to support health claims that have an effect on both consumers and nutraceutical corporations, are the areas of highest scientific need.



### Categorizing Nutraceuticals

Nutraceuticals can be arranged in a variety of ways based on their easier comprehension and use, such as for dietary recommendations, clinical trial design, academic instruction, or the creation of functional foods. Classifying nutraceuticals according to their chemical makeup, mode of action, or food sources is one of the most popular approaches. The following categories apply to all natural food sources utilized as nutraceuticals (Kalia 2005; Kokate et al. 2002):

1. Dietary Fibre
2. Probiotics
3. Prebiotics
4. Polyunsaturated fatty acids
5. Antioxidant vitamins
6. Polyphenols
7. Spices

### CONCLUSION

Humans' constantly shifting lifestyles frequently overload their antioxidant defence systems, leading to oxidative stress. Furthermore, as people age, their antioxidant defence mechanism levels noticeably decline. Numerous illnesses could arise as a result of them. As a result, research has mostly concentrated on various nutraceuticals throughout the last few decades. Products containing antioxidants can either specifically activate the body's defences or work naturally to scavenge free radicals (e.g., vitamins, PUFA). The possible benefits and drawbacks of nutraceuticals for healthy people are discussed in this review. However, genetic predisposition and lifestyle factors like smoking and excessive alcohol use are the main factors that determine an individual's susceptibility to any given disease. Thus, each person may react differently to nutraceuticals. Nutraceuticals have demonstrated health advantages, and when taken in accordance with recommended dietary intakes, they can prevent disease and help people maintain general health.

### Acknowledgement

Financial support for this research project comes from the University Grants Commission (UGC), India's Centre for Advanced Studies (CAS I) program.

### REFERENCES

1. Adelaia AO, Schilling BJ. Nutraceutical: blurring the line between food and drugs in the twenty-first century. *Mag Food Farm Resour Issues*. 1999;14:35–40.
2. Albert CM, Campos H, Stampfer MJ, Ridker PM, Manson JE, Willett WC, Ma J. Blood levels of long-chain n-3 fatty acids and the risk of sudden death. *New Engl J Med*. 2002;346:1113–1118. doi: 10.1056/NEJMoa012918.
3. Ali M, Thomson M, Afzal M. Garlic and onions: their effect on eicosanoid metabolism and its clinical relevance. *Prostaglandins Leukot Essent Fatty Acids*. 2000;6:55–73. doi: 10.1054/plef.1999.0124.
4. Anderson JW, Randles KM, Kendall CWC, Jenkins DJA. Carbohydrate and fiber recommendations for individuals with diabetes: a quantitative assessment and meta-analysis of the evidence. *J Am Coll Nutr*. 2004;23:5–17. doi: 10.1080/07315724.2004.10719338.
5. Anderson JW, Baird P, Davis RH, Jr, Ferreri S, Knudtson M, Koraym A, Waters V, Williams CL. Health benefits of dietary fibre. *Nutr Rev*. 2009;67:188–205. doi: 10.1111/j.1753-4887.2009.00189.x.
6. Argento A, Tiraferri E, Marzalani M. Oral anticoagulants and medicinal plants: an emerging interaction. *Ann Ital Med Interna*. 2000;15:139–143.
7. Bannerjee SK, Mukherjee PK, Maulik SK. Garlic as an antioxidant: the good, the bad and the ugly. *Phytother Res*. 2003;17:97–106. doi: 10.1002/ptr.1281.
8. Birketvedt GS, Shimshi M, Erling T, Florholmen J. Experiences with three different fiber supplements in weight reduction. *Med Sci Monit*. 2005;11:15–18.
9. Broughton KS, Johnson CS, Pace BK, Liebman M, Kleppinger KM. Reduced asthma symptoms with n-3 fatty acid ingestion are related to 5-series leukotriene production. *Am J Clin Nutr*. 1997;65:1011–1017. doi: 10.1093/ajcn/65.4.1011.
10. Brower V. Nutraceuticals: poised for a healthy slice of the healthcare market? *Nat Biotechnol*. 1998;16:728–731. doi: 10.1038/nbt0898-728.
11. Brown L, Rosner B, Willett WW, Sacks FM. Cholesterol-lowering effects of dietary fiber: a meta-analysis. *Am J Clin Nutr*. 1999;69:30–42. doi: 10.1093/ajcn/69.1.30.
12. Buchner HC, Hengstler P, Schindler C, Meier G. N-3 polyunsaturated fatty acids in coronary heart disease – a meta analysis of randomized controlled trials. *Am J Med*. 2002;112:298–304. doi: 10.1016/S0002-9343(01)01114-7.
13. Bull E. What is nutraceutical? *Pharm J*. 2000;265:57–58.
14. Calabrese JR, Rappor DJ, Shelton MD. Fish oils and bipolar disorder. *Arch Gen Psychiatry*. 1999;56:413–414. doi: 10.1001/archpsyc.56.5.413.
15. Carlson SE. Long-chain polyunsaturated fatty acids and development of human infants. *Acta Paediatr Suppl*. 1999;88:72–77. doi: 10.1111/j.1651-2227.1999.tb01304.x.



16. Clark LC, Combs GF, Jr, Turnbull BW, Slate EH, Chalker DK, Chow J, Davis LS, Glover RA, Graham GF, Gross EG, Kongrad A, Lesher JL, Park HK, Sanders BB, Smith CL, Taylor JR. Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. Nutritional prevention of cancer study group. *J Am Med Assoc.* 1996;276:1957–1963. doi: 10.1001/jama.1996.03540240035027.
17. Connor WE. Importance of n-3 fatty acids in health and disease. *Am J Clin Nutr.* 2000;71(suppl):171S–175S. doi: 10.1093/ajcn/71.1.171S.
18. Corder R, Douthwaite JA, Lees DM, Khan NQ, Santos AC, Wood EG, Carrier MJ. Health: endothelin-1 synthesis reduced by red wine. *Nature.* 2001;414:863–864. doi: 10.1038/414863a.
19. Cummings JH. The effect of dietary fiber on fecalweight and composition. In: Spiller G, editor. *Dietary fiber in human nutrition.* Boca Raton: CRC Press; 2001. pp. 183–252.
20. Dillard CJ, German JB. Phytochemicals: nutraceuticals and human health. *J Sci Food Agric.* 2000;80:1744–1756. doi: 10.1002/1097-0010(20000915)80:12<#x0003c;1744::AID-JSFA725&#x0003e;3.0.CO;2-W.
21. Doron S, Snyderman DR, Gorbach SL. *Lactobacillus GG: bacteriology and clinical applications.* *Gastroenterol Clin North Am.* 2005;34:483–498. doi: 10.1016/j.gtc.2005.05.011.
22. Dureja H, Kaushik D, Kumar V. Developments in nutraceuticals. *Indian J Pharmacol.* 2003;35:363–372.
23. Duthie GG, Gardner PT, Kyle JAM. Plant polyphenols: are they the new magic bullet? *Proc Nutr Soc.* 2003;62:599–603. doi: 10.1079/PNS2003275.
24. Edwards R, Peet M, Shay J, Horrobin D. Omega-3 polyunsaturated fatty acid levels in the diet and in red blood cell membranes of depressed patients. *J Affect Disord.* 1998;48:149–155. doi: 10.1016/S0165-0327(97)00166-3.
25. Elliot JG. Application of antioxidant vitamins in foods and beverages. *Food Technol.* 1999;53:46–48.
26. Ernst E. Complementary medicine: where is the evidence? *J Fam Pract.* 2003;52:630–634.
27. Escott-Stump E, Mahan LK. *Krause's food, nutrition and diet therapy.* 10. Philadelphia: WB Saunders Company; 2000. pp. 553–559.
28. Food and Agricultural Org World Health Org 2001. *Health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria.*
29. Fuller R, editor. *Probiotics: the scientific basis.* London: Chapman and Hall; 1992.
30. Gibson GR. Dietary modulation of human gut microflora using the prebiotics Oligofructose and Inulin. *J Nutr.* 1999;129:1438S–1441S. doi: 10.1093/jn/129.7.1438S.
31. Gibson GR, Roberfroid MB. Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J Nutr.* 1995;125:1401–1412. doi: 10.1093/jn/125.6.1401.
32. Gibson GR, Wang X. Regulatory effects of bifidobacteria on other colonic bacteria. *J Appl Bacteriol.* 1994;77:412–420. doi: 10.1111/j.1365-2672.1994.tb03443.x.
33. Glone SR, Van Treeck D, Knehans A, et al. *J Am Dent Assoc.* 1994;94:425–436. doi: 10.1016/0002-8223(94)90099-X.